

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	875975	(force pressure strain load stress) near3 (sens \$4 detect\$4 transducer measur\$4 gage gauge cell)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:16
L2	79034	1 and (matrix matrice)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:16
L3	439	2 and (three third) near3 (coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:17
L4	113	3 and (driv\$4) near3 (circuit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:17
L5	108	4 and (coupling electromagnet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:18
L6	1	5 and (plural\$4 second pair two multiple couple) near3 (cushion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:18
L7	6	5 and (cushion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:19

L8	25727	1 and (row AND column)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:20
L9	206	8 and (three third) near3 (coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:20
L10	81	9 and (driv\$4) near3 (circuit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:20
L11	10	10 and (differential) near3 (amplifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:21
L12	1087	(coil) near3 (cushion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:21
L13	84	12 and (force pressure strain load stress) near3 (sens\$4 detect\$4 transducer measur\$4 gage gauge cell)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:21
L14	52	13 and (driv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:22
L15	5	14 and (electromagnetic) near3 (coupling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:22

L16	1931	1 and (electromagnetic) near3 (coupling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:23
L17	556	16 and (plural\$4 multiple three third second two pair) near3 (coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:23
L18	468	17 and (driv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:24
L19	339	18 and (switch\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:24
L20	171	19 and (amplifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:25
L21	2	20 and (modul\$4) near3 (elastic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:26
L22	55	19 and (differential) near3 (amplifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:27
L23	188	73/862.046.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:30

L24	4	23 and (plural\$4 multiple three third second two pair) near3 (coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:30
L25	558	16 and (array plural\$4 multiple three third second two pair) near3 (coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:33
L26	15	25 and (cushion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:34
L27	51237	(fingerprint\$4 touch tactile) near3 (sens\$4 detect\$4 transducer measur\$4 gage gauge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:37
L28	910	27 and (array plural\$4 multiple three third second two pair) near3 (coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:37
L29	74	28 and (cushion\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:38
L30	66	29 and (driv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:38
L31	33	30 and (electromagnetic) near3 (coupling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:38

L32	1427	(matrix matrice) near3 (coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:41
L33	25	32 and (electromagnetic) near3 (coupling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:42
L34	6	33 and (force pressure strain load stress) near3 (sens\$4 detect\$4 transducer measur\$4 gage gauge cell)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:42
L35	224	73/862.69.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:42
L36	1	35 and (electromagnetic) near3 (coupling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:42
L37	229031	"73"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:42
L38	381	37 and (electromagnetic) near3 (coupling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:43
L39	218	38 and (force pressure strain load stress) near3 (sens\$4 detect\$4 transducer measur\$4 gage gauge cell)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:43

L40	29	39 and (matrix matrice)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:43
L41	6	40 and (array plural\$4 multiple three third second two pair) near3 (coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:43
L42	89501	first near3 coil	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:46
L43	65651	42 and (second two pair) near3 (coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:46
L44	1254	43 and (cushion\$4 elastic \$4) near3 (coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:46
L45	767	44 and (driv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:47
L46	12	45 and (electromagnetic) near3 (coupling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:47
L47	2	(coil) near3 (upper top) near3 (side) near3 (cushion\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:49

L48	4033	(coil) near3 (upper top) near3 (side)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:50
L49	1410	48 and (coil) near3 (bottom lower) near3 (side)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:50
L50	12	49 and (electromagnetic) near3 (coupling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 11:50

2/ 25/ 08 11:52:15 AM